

# alphatile & stone #

### **BEIGE**



10x30 SI.SS.BGE.1030

### BEIGE ARKAN DECOR



10x30 SI.SS.BGE.1030.ARKDC

### **BLANCO**



10x30 SI.SS.BLC.1030

### BLANCO ARKAN DECOR



10x30 SI.SS.BLC.1030.ARKDC

# CENIZA (LIGHT GREY)



10x30 SI.SS.CNA.1030

## CENIZA (LIGHT GREY) ARKAN DECOR



10x30 SI.SS.CNA.1030.ARKDC

## **GREY**



10x30 SI.SS.GRI.1030

## **GREY ARKAN DECOR**



10x30 SI.SS.GRI.1030.ARKDC

**Packing Information** 


TILE SIZE	PC/BOX	SF/BOX	LB/BOX	BOX/PALLET
10x30	5	10.01	38.70	54
10x30 DECOR	5	10.01	38.70	54

# **TESTS RESULTS:**

MODEL:	Sunset Beige 25x75					
BRAND:	SALONI		CODE:	CNB610	EDITION:	1
CERAMIC TILES CLASSIFICATION (UNE-EN-14411):		411):	Grupo BIII. Anexo L			

STANDARD	CHARACTERISTICS		TEST RESULT	
UNE-EN ISO 10545-3	Water absorption	E > 10%		
UNE-EN ISO 10545-4	E-EN ISO 10545-4 Breaking strength (N)			
UNE-EN ISO 10545-4	Modulus of rupture (N	15		
	Resistance to surface			
UNE-EN ISO 10545-7	Class .	-		
	Abrasion stage	-		
UNE-EN ISO 10545-11	Resistance to crazing	Resistance to crazing		
UNE-EN ISO 10545-12	Frost Resistance	-		
	Resistance to staining			
UNE-EN ISO 10545-14	Fe203 / Cr203	Class 4		
ONE-EN 190 10349-14	Iodine / alcohol solu	Class 4		
	Light oil	Class 4		
	Chemical Resistance			
	Household Chemicals	Mín. GB		
	Swimming pool salts	Mín. GB		
	Citric Acid	Mín. GLB		
UNE-EN ISO 10545-13	Lactic Acid ·	-		
	Hydrochloric Acid low	Mín. GLB		
	Hydrochloric Acid hig	-		
	Potassium Hydroxide l	Mín. GLB		
	Potassium Hydroxide h	-		
UNE-ENV 12633:2003	Slip resistance value			
Size (mm)	249x748	249x748 Thickness (mm)		
Saloni's quality classificat	-			

# **Color Variation:**



# **Member:**























## SUNSET SERIES - GLAZED WALL



BEIGE, BEIGE DECOR



GREY, GREY DECOR